
Transforming Spaces

The Future of Behavioral Healthcare Lighting







IMPORTANCE OF LIGHTING IN BEHAVIORAL HEALTH SPACES

Designing lighting for behavioral health environments requires a careful balance of functionality, safety, and comfort to support both patients' well-being and staff performance.

- Patient Well-being: Highlight how lighting impacts mood, behavior, and recovery.
- Safety Considerations: Discuss the importance of safety in these spaces, especially in preventing harm to patients or staff.
- Therapeutic Environment: Emphasize how lighting can create calming, nonstressful environments conducive to healing and therapy.

FINDING THE RIGHT FINISH:

Color Choices for Safe & Soothing Spaces

Color plays a crucial role in creating a more humanized behavioral healthcare environment. That's why we offer **new color finish options** designed to enhance and bring warmth to patient rooms, recreational spaces, corridors, and common areas. Whether the goal is to foster a calming and reassuring atmosphere or introduce inclusive stimulation, our thoughtfully curated colors help achieve the desired ambiance.

New Color Finish Options



Microbial White







Matte





Burnt Orange





Beige Grey




Light Grey













Recessed Flange, Linear System

The VR4A linear recessed luminaire is a versatile LED lighting system designed for seamless integration into various ceiling types. Engineered for behavioral health and institutional environments, it provides a discreet and flexible general lighting solution. Delivering up to 1,000 lumens per foot, the VR4A is available in 2', 3', 4', 5', 6', 7', and 8' lengths, as well as daisy chain runs for enhanced design flexibility.



VR4A / VT4A

LIGATURE RESISTANT - RECESSED LINEAR LUMINAIRE

NEW PRODUCT



DOWNLOAD SPEC SHEET & IES FILES:

VR4A



DOWNLOAD SPEC SHEET & IES FILES:

VT4A

STANDARDS









DIMENSIONS

4" Wide x

LED OPTIONS




FINISHES



MOUNTING

Recessed Flange and T-Bar / Grid

FIXTURE DIMENSIONS



LUMEN OUTPUT

mens Per Foot	
300	
500	
750	
1000	White Opal

^{*} Custom lumen package available

Task Light.

The MTLA Task Light combines a roa powder-coated finish. Its thoughtfully sloped design minimizes ligature risks, while security fasteners provide added tamper resistance.

Users can easily adjust brightness levels with a tactile, touch-sensitive dimming feature, offering a customizable lighting experience.









BEHAVIORAL TASK LIGHT









STANDARDS









FEATURES

Wattage:	3 Watts
Lumens:	100 Lm 200 Lm 300 Lm
LED CRI:	≥90Ra
Voltage:	120-277V
Ontio Distribution:	Norrow Doors I Wide Doors
Optic Distribution:	Narrow Beam Wide Beam
IP Grade:	IP65
ii Oraac.	11 05
Warranty:	50,000 Hours 5 Years

APPLICATIONS

- · Patient rooms
- · Behavioral health patient rooms
- Nursing homes

LED OPTIONS





2700K 3000K 3500K 4000K



FINISHES













MOUNTING

Wall mount

FIXTURE DIMENSIONS








www.pacolighting.com | 7

Step Light.

The MNLA Steplight is the ultimate solution for behavioral facilities requiring robust housings and tamper-resistant fasteners to prevent contraband storage.

This fixture is designed to seamlessly integrate into hallways, restrooms, behavioral health facilities, corridors, and any space demanding high performance and Vandal-resistant.







MNLA

STEP LIGHT FOR BEHAVIORAL FACILITIES







STANDARDS









LUMEN OUTPUT

Lumens*	Led options	Wattage
20	White	0.80
50	White	1.50
100	White	2.50
20	Amber	0.81
50	Amber	1.52
100	Amber	2.56

^{*} Custom lumen package available

APPLICATIONS

- · Behavioral Healthcare Facilities
- · Retirement homes
- · Chronic care facilities

LED OPTIONS










2700K 3000K 3500K 4000K


FINISHES




MOUNTING

Wall mount

FIXTURE DIMENSIONS






MEDOLIA

SEALED DOWNLIGHTS

The Medolia family offers a complete solution of institutional downlights designed to meet the most stringent performance, safety, appearance, and flexibility needed for specialty applications.





MDA4 / MDA6

IMPACT RESISTANT DOWNLIGHT



DOWNLOAD SPEC SHEET & IES FILES: MDA4



DOWNLOAD SPEC SHEET & IES FILES:

MDA6

STANDARDS













DIMENSIONS



MDA4

LED OPTIONS











2700K 3000K 3500K 4000K 5000K TW

Night Light

MOUNTING

Recessed

LUMEN OUTPUT

Lumens*	Led options
500	White
1000	White
2000	White
3000	White
1500 / 200	White / Red
1500 / 300	White / Amber
200	Red
300	Amber

^{*} Custom lumen package available

TRIM FINISH OPTIONS











Lighting Matters in Behavioral Health Spaces



Follow Us:







LinkedIn Facebook Instagram









info@pacolighting.com www.pacolighting.com

